


## NOISE-BAN SOFT

The Noise-Ban Soft is a custom-made earplug made from a medical grade silicone material. It is fitted with a fixed filter (that could easily be interchanged) which allows for communication while protecting your hearing from harmful noise. The comfort offered by the silicone material is ideal where tight fitting headgear is used.


### FEATURES

- More cost effective than disposable hearing protection
- Increased productivity
- Long- term reliable protection
- On-site monitoring service by accredited staff
- 100% leak-tight test in the ear of the user
- Allows for communication – different filters for different noise environments
- Individual training and motivation
- Directional hearing is unimpaired
- Small and light
- Hygienic and easy to clean
- Conforms to the EN 352-2 standard for hearing protectors
- Manufacturing laboratory is ISO 9001:2015 accredited
- Cord and clip help to minimise loss
- Comes with a storage pouch, cleaning kit and instruction leaflet
- Available in different colours
- Information is stored on a database

### TECHNICAL SPECS



SNR- value =	28 dB
H- value =	26 dB
M- value =	26 dB
L- value =	26 dB



SNR- value =	25 dB
H- value =	24 dB
M- value =	23 dB
L- value =	21 dB

NOTE: Silicone products can be affected by certain oils and chemicals that are used in industrial environments. Please discuss with the technician.

### PRODUCT IMAGE(S)



## PROCESS

### 1. Needs Assessment

Our sales representative will discuss your requirements regarding your Hearing Conservation Management Programme and planned implementation.

### 2. Impressions

Our technicians will visit on-site to take impressions of the selected employees' ears. During the impression taking the technician will:

- Explain the process to the employees.
- Inspect the employees' ears.
- Take the impressions.
- Capture information on a database.

### 3. Manufacturing

Our Laboratory is ISO 9001:2015 accredited. The lead-time is approximately 4 – 6 weeks once the impressions is received.

### 4. Fitment

The technician will schedule an appointment to fit the Noise-Ban on-site.

During the fitment the technician will:

- Do a comfort assessment.
- Do a leak-tight seal check.
- Training and motivating the user.
- Capture information on a database.

### 5. Monitoring

Annual monitoring is done to ensure that the Noise-Ban continues to function effectively in the user's ears. This extends the warranty for another 12 months.

Steps taken:

- Assess the use and check the condition of the hearing protection device.
- Do a leak-tight seal test.
- Check attenuation requirements.
- Cleaning of the product.
- Replace broken or faulty parts.
- Assist and re-train the user in the use and maintenance of the product.

## CONTACT US

1255 Cobham Road  
Queenswood  
Pretoria, 0186

(012) 403-8740  
sales@noiseban.co.za  
www.noiseban.com

